


PerfectCue™

Cue Light




Prices: See <http://www.dsan.com/DsanPrices.pdf>

Features



PerfectCue is a light and sound signalling system. It enables a speaker to send cues to a projectionist or to activate computer software for "Next", "Back" and "Screen Blank" using a wireless, hand-held actuator.



Selectively activate one or more cue lights on a single line.



Match cue light and actuator communications on one of 16 communications channels



Connect a hand-held actuator for hard-wire back-up



Play selectable cue sounds through speaker or headphone.




Remotely activate custom devices.



Combine audio monitor input with cue sounds



Connect multiple cue lights via Cat 5 or XLR cable. Only one unit requires power



Highlight presentations with laser pointer built into actuator. Select actuators with one, two or four buttons.



Remotely control presentation software via programmable keyboard commands delivered through USB ports.

Simultaneously control two computers. Maintain full mouse functionality.

Configurations


Remote signalling

Signalling with feedback

- Comandi da tastiera
- Possibilità di continuare a usare il mouse

Remote software control

- Keyboard commands
- Maintain use of mouse





Control Custom devices

- Hard-wire backup available

Multi-point signaling

- Individual wireless channels
- Assigned Ids for cable-connected units



PerfectCue™ Mini



Features	PerfectCue	PerfectCue Mini
Size	7.5" (H) x 3.8" (W) x 3.8" (D)	5.5 (H) x 2.9" (W) x 1.2" (D)
Supplied Transmitter	4-button (w laser pointer)	2-button
USB-powered	Requires 12-V power	Yes; optional 12-V power
Two USB ports	Yes	Yes
XLR Jack	2: Male-female	1: Female
Cat 5 Jack	2	1
Selectable Sounds	Yes	No
Headphone jack	Yes	Yes
Transmitter channels	16	16

Prices: See <http://www.dsan.com/DsanPrices.pdf>

